

WINGBURG



**ALL YOU'LL
EVER NEED**

THE TRACK WITH A
BIG CHOICE OF
ACCESSORIES



FRANKFURT

Universal sliding and pocket door track

SKUS AND ACCESSORIES



Door thickness: 1-3/8" to 2" wood; 3/8" and 1/2" frameless glass
Load capacity: 176 to 265 lb
Set includes: Extruded aluminum track; ball bearing carriages; hold-in-place, soft-close or push-to-open end stops; basic or recessed mounting hardware for wood or clamps for frameless glass panels; floor guides for either application

Standard Wood Sets

W-SL40-1WS00	FRANKFURT 2m (78 3/4"), standard wood mounts and hold-in-place stoppers
W-SL40-1WS01	FRANKFURT 2m (78 3/4"), standard wood mounts, 1 hold-in-place stopper and 1 Soft-Close
W-SL40-1WS02	FRANKFURT 2m (78 3/4"), standard wood mounts and 2 Soft-Close
W-SL40-1WS03	FRANKFURT 2m (78 3/4"), standard wood mounts, 1 hold-in-place stopper and 1 Push-To-Open
W-SL40-1WS04	FRANKFURT 2m (78 3/4"), standard wood mounts, 1 Soft-Close and 1 Push-To-Open
W-SL40-1WS05	FRANKFURT 2m (78 3/4"), standard wood mounts, hold-in-place stoppers and 265 lb carriages
W-SL40-2WS06	2x FRANKFURT 2m (78 3/4"), standard wood mounts, hold-in-place stoppers and a Sync for bi-parting doors

Recessed Wood Mount Sets

W-SL40-1WR00	FRANKFURT 2m (78 3/4"), recessed wood mounts and hold-in-place stoppers
W-SL40-1WR01	FRANKFURT 2m (78 3/4"), recessed wood mounts, 1 hold-in-place stopper and 1 Soft-Close
W-SL40-1WR02	FRANKFURT 2m (78 3/4"), recessed wood mounts and 2 Soft-Close
W-SL40-1WR03	FRANKFURT 2m (78 3/4"), recessed wood mounts, 1 hold-in-place stopper and 1 Push-To-Open
W-SL40-1WR04	FRANKFURT 2m (78 3/4"), recessed wood mounts, 1 Soft-Close and 1 Push-To-Open
W-SL40-1WR05	FRANKFURT 2m (78 3/4"), recessed wood mounts, hold-in-place stoppers and 265 lb carriages

Glass Clamps Sets

W-SL40-1GS00	FRANKFURT 2m (78 3/4"), glass clamps and hold-in-place stoppers
W-SL40-1GS01	FRANKFURT 2m (78 3/4"), glass clamps, 1 hold-in-place stopper and 1 Soft-Close
W-SL40-1GS02	FRANKFURT 2m (78 3/4"), glass clamps and 2 Soft-Close
W-SL40-1GS03	FRANKFURT 2m (78 3/4"), glass clamps, 1 hold-in-place stopper and 1 Push-To-Open
W-SL40-1GS04	FRANKFURT 2m (78 3/4"), glass clamps, 1 Soft-Close and 1 Push-To-Open
W-SL40-1GS05	FRANKFURT 2m (78 3/4"), glass clamps, hold-in-place stoppers and 265 lb carriages

Glass Clamps With Valance Sets

W-SL40-1GS00	FRANKFURT 2m (78 3/4"), glass clamps with stainless steel look valance and hold-in-place stoppers
W-SL40-1GS01	FRANKFURT 2m (78 3/4"), glass clamps with stainless steel look valance, 1 hold-in-place stopper and 1 Soft-Close
W-SL40-1GS02	FRANKFURT 2m (78 3/4"), glass clamps with stainless steel look valance and 2 Soft-Close
W-SL40-1GS03	FRANKFURT 2m (78 3/4"), glass clamps with stainless steel look valance, 1 hold-in-place stopper and 1 Push-To-Open
W-SL40-1GS04	FRANKFURT 2m (78 3/4"), glass clamps with stainless steel look valance, 1 Soft-Close and 1 Push-To-Open
W-SL40-1GS05	FRANKFURT 2m (78 3/4"), glass clamps with stainless steel look valance, hold-in-place stoppers and 265 lb carriage

Accessories

W-SL00-9WG01	Soft Close (single), max. 176 lb, min. 24" door width (34" for both directions)
W-SL00-9WG03	Push To Open, max. 176 lb, min. 24" door width (26" with pocket side Soft Close)
W-SL00-9WG05	Upgraded Wheels, max. 265 lb
W-SL00-WS06	Sync, for biparting wood doors (basic mount only), max. 176 lb per panel
W-SL00-WR00	Recessed Wood Door Mount, max. 265 lb
W-SL00-9GS00	Glass Clamps, max. 265 lb, 3/8" and 1/2" glass
W-SL00-GV00	Glass Clamps with stainless steel look valance, max. 265 lb, 3/8" and 1/2" glass

DOOR MOUNT OPTIONS



WOOD BASIC






WOOD RECESSED

GLASS CLAMPS

GLASS CLAMPS W/ VALANCE

WITH OPTIONAL CLIP-ON TRACK VALANCE AND WALL MOUNTING PROFILE

WITH OPTIONAL CLIP-ON TRACK VALANCE



¹ With push to open: 3 7/8" (98 mm)

DOOR MOUNT OPTIONS






WOOD BASIC

WOOD RECESSED

GLASS CLAMPS

GLASS CLAMPS W/ VALANCE



DOOR MOUNT OPTIONS



WOOD BASIC





WOOD RECESSED

GLASS CLAMPS

GLASS CLAMPS W/ VALANCE

WITH OPTIONAL CLIP-ON TRACK VALANCE AND WALL MOUNTING PROFILE

WITH OPTIONAL CLIP-ON TRACK VALANCE



DOOR MOUNT OPTIONS





WOOD BASIC

WOOD RECESSED

GLASS CLAMPS

GLASS CLAMPS W/ VALANCE



¹ With push to open: $2 \frac{7}{8}''$ (73 mm)