

# WINGBURG



**ALL YOU'LL  
EVER NEED**

---

THE TRACK WITH A  
BIG CHOICE OF  
ACCESSORIES



# FRANKFURT

Universal sliding and pocket door track

## SKUS AND ACCESSORIES



**Door thickness:** 1-3/8" to 2" wood; 3/8" and 1/2" frameless glass  
**Load capacity:** 176 to 265 lb  
**Set includes:** Extruded aluminum track; ball bearing carriages; hold-in-place, soft-close or push-to-open end stops; basic or recessed mounting hardware for wood or clamps for frameless glass panels; floor guides for either application

### Standard Wood Sets

W-SL40-1WS00	FRANKFURT 2m (78 3/4"), standard wood mounts and hold-in-place stoppers
W-SL40-1WS01	FRANKFURT 2m (78 3/4"), standard wood mounts, 1 hold-in-place stopper and 1 Soft-Close
W-SL40-1WS02	FRANKFURT 2m (78 3/4"), standard wood mounts and 2 Soft-Close
W-SL40-1WS03	FRANKFURT 2m (78 3/4"), standard wood mounts, 1 hold-in-place stopper and 1 Push-To-Open
W-SL40-1WS04	FRANKFURT 2m (78 3/4"), standard wood mounts, 1 Soft-Close and 1 Push-To-Open
W-SL40-1WS05	FRANKFURT 2m (78 3/4"), standard wood mounts, hold-in-place stoppers and 265 lb carriages
W-SL40-2WS06	2x FRANKFURT 2m (78 3/4"), standard wood mounts, hold-in-place stoppers and a Sync for bi-parting doors

### Recessed Wood Mount Sets

W-SL40-1WR00	FRANKFURT 2m (78 3/4"), recessed wood mounts and hold-in-place stoppers
W-SL40-1WR01	FRANKFURT 2m (78 3/4"), recessed wood mounts, 1 hold-in-place stopper and 1 Soft-Close
W-SL40-1WR02	FRANKFURT 2m (78 3/4"), recessed wood mounts and 2 Soft-Close
W-SL40-1WR03	FRANKFURT 2m (78 3/4"), recessed wood mounts, 1 hold-in-place stopper and 1 Push-To-Open
W-SL40-1WR04	FRANKFURT 2m (78 3/4"), recessed wood mounts, 1 Soft-Close and 1 Push-To-Open
W-SL40-1WR05	FRANKFURT 2m (78 3/4"), recessed wood mounts, hold-in-place stoppers and 265 lb carriages

### Glass Clamps Sets

W-SL40-1GS00	FRANKFURT 2m (78 3/4"), glass clamps and hold-in-place stoppers
W-SL40-1GS01	FRANKFURT 2m (78 3/4"), glass clamps, 1 hold-in-place stopper and 1 Soft-Close
W-SL40-1GS02	FRANKFURT 2m (78 3/4"), glass clamps and 2 Soft-Close
W-SL40-1GS03	FRANKFURT 2m (78 3/4"), glass clamps, 1 hold-in-place stopper and 1 Push-To-Open
W-SL40-1GS04	FRANKFURT 2m (78 3/4"), glass clamps, 1 Soft-Close and 1 Push-To-Open
W-SL40-1GS05	FRANKFURT 2m (78 3/4"), glass clamps, hold-in-place stoppers and 265 lb carriages

### Glass Clamps With Valance Sets

W-SL40-1GV00	FRANKFURT 2m (78 3/4"), glass clamps with stainless steel look valance and hold-in-place stoppers
W-SL40-1GV01	FRANKFURT 2m (78 3/4"), glass clamps with stainless steel look valance, 1 hold-in-place stopper and 1 Soft-Close
W-SL40-1GV02	FRANKFURT 2m (78 3/4"), glass clamps with stainless steel look valance and 2 Soft-Close
W-SL40-1GV03	FRANKFURT 2m (78 3/4"), glass clamps with stainless steel look valance, 1 hold-in-place stopper and 1 Push-To-Open
W-SL40-1GV04	FRANKFURT 2m (78 3/4"), glass clamps with stainless steel look valance, 1 Soft-Close and 1 Push-To-Open
W-SL40-1GV05	FRANKFURT 2m (78 3/4"), glass clamps with stainless steel look valance, hold-in-place stoppers and 265 lb carriages

### Accessories

W-SL00-9WG01	Soft Close (single), max. 176 lb, min. 24" door width (34" for both directions)
W-SL00-9WG03	Push To Open, max. 176 lb, min. 24" door width (26" with pocket side Soft Close)
W-SL00-9WG05	Upgraded Wheels, max. 265 lb
W-SL00-WS06	Sync, for biparting wood doors (basic mount only), max. 176 lb per panel
W-SL00-WR00	Recessed Wood Door Mount, max. 265 lb
W-SL00-9GS00	Glass Clamps, max. 265 lb, 3/8" and 1/2" glass
W-SL00-GV00	Glass Clamps with stainless steel look valance, max. 265 lb, 3/8" and 1/2" glass

# DOOR MOUNT OPTIONS



## WOOD BASIC






## WOOD RECESSED

## GLASS CLAMPS

## GLASS CLAMPS W/ VALANCE

WITH OPTIONAL CLIP-ON TRACK VALANCE AND WALL MOUNTING PROFILE

WITH OPTIONAL CLIP-ON TRACK VALANCE



<sup>1</sup> With push to open: 3 7/8" (98 mm)

# DOOR MOUNT OPTIONS






WOOD BASIC

WOOD RECESSED

GLASS CLAMPS

GLASS CLAMPS W/ VALANCE



# DOOR MOUNT OPTIONS



## WOOD BASIC





## WOOD RECESSED

## GLASS CLAMPS

## GLASS CLAMPS W/ VALANCE

WITH OPTIONAL CLIP-ON TRACK VALANCE AND WALL MOUNTING PROFILE

WITH OPTIONAL CLIP-ON TRACK VALANCE



# DOOR MOUNT OPTIONS





WOOD BASIC

WOOD RECESSED

GLASS CLAMPS

GLASS CLAMPS W/ VALANCE



<sup>1</sup> With push to open:  $2 \frac{7}{8}''$  (73 mm)